

I. AMENDMENTS TO THE CLAIMS

Please amend claims as follows:

1. (Currently amended) A film-coated tablet with cyclophosphamide as active compound, comprising in the core cyclophosphamide, one or more fillers, one or more flow regulators, one or more lubricants, and one or more dry binders, wherein ^{at} ~~as~~ least one of the fillers is lactose monohydrate and ~~no preswollen starch is present as a dry binder wherein the~~ film-coated tablet does not contain preswollen starch.

2. (Currently amended) The film-coated tablet as claimed in claim 1, comprising in the core as a filler lactose monohydrate, D-mannitol or CaHPO₄, ~~as a dry binder~~ nonpreswollen cornstarch or microfine cellulose, as a flow regulator highly disperse silica and as a lubricant magnesium stearate, stearic acid, glycerol palmitostearate, polyethylene glycol, talc or glycerol monobeherate.

3. (Original) The film-coated tablet as claimed in claim 2, where the cores can comprise the auxiliaries either individually or alternatively in any desired mixture.

4. (Previously amended) The film-coated tablet as claimed in any one of claims 1 to 3, comprising, per part of cyclophosphamide in the core, lactose monohydrate, microfine cellulose, nonpreswollen cornstarch talc, highly disperse silica and magnesium stearate in the following ratios: lactose monohydrate 0.2-1.5, microfine cellulose 0.2-1.5, nonpreswollen cornstarch talc 0.1 - 1.5, highly disperse silica 0.01 -0.1, and magnesium stearate 0.01 -0.1.

5. (Previously added). The film-coated tablet as claimed in claim 4, comprising, per part of cyclophosphamide in the core, lactose monohydrate, microfine cellulose, nonpreswollen cornstarch talc, highly disperse silica and magnesium stearate in the following ratios: lactose monohydrate 0.5-1, microfine cellulose 0.5-1, nonpreswollen cornstarch talc 0.2-0.7, highly disperse silica 0.01-0.5, and magnesium stearate 0.01 -0.05.

6. (Previously added). The film-coated tablet as claimed in claim 5, comprising, per part of cyclophosphamide in the core, lactose monohydrate, microfine cellulose, nonpreswollen cornstarch talc, highly disperse silica and magnesium stearate in the following ratios: lactose monohydrate 0.73, microfine cellulose 0.74, nonpreswollen cornstarch talc 0.37, highly disperse silica 0.04, and magnesium stearate 0.03.
